

**Implementation date and additional rounds**  
2010

**Package coverage**

Including the border, health warnings are required to cover 65% of the front and 43% of the back of all cigarette packages. Overall, 54% of the package space is appropriated to health warnings.

**Rotation schedule and history**

Fourteen health warnings are used on cigarette packages.

**Restrictions on misleading information**

Unspecified.

## WARNINGS

2010

 <p><b>Sigarayı bırakmak ölümcül kalp ve akciğer hastalıkları riskini azaltır</b></p>	 <p><b>Sigara içmek cildin erken yaşlanmasına neden olur</b></p>	 <p><b>Sigarayı bırakmak için doktorunuzdan ve size en yakın sağlık ocağından yardım isteyin</b></p>	 <p><b>Sigara içmek ağrılı ve yavaş bir ölüme neden olabilir</b></p>
 <p><b>Sigara içmek yüksek derecede bağımlılık yapar, başlamayın</b></p>	 <p><b>Sigara dumanında benzen, nitrozamin, formaldehit ve hidrojenasiyanit gibi kanser yapıcı maddeler bulur</b></p>	 <p><b>Hamile iken sigara içmek bebeğe zarar verir</b></p>	 <p><b>Sağlık kuruluşları sigarayı bırakmada size yardımcı olabilir</b></p>
 <p><b>Çocukları koruyun: Dumanınızı onlara solutmayın</b></p>	 <p><b>Sigara içmek damarları tıkar, kalp krizine ve felçlere neden olur</b></p>	 <p><b>Sigara içenler genç yaşta ölür</b></p>	 <p><b>Sigara içmek kan akışını yavaşlatır ve cinsel iktidarsızlığa neden olur</b></p>
 <p><b>Sigara içmek ölümcül akciğer kanserine neden olur</b></p>	 <p><b>Sigara içmek spermilere zarar vererek doğurganlığı azaltır</b></p>		